Metal Science

VOLUME 10

1976

EDITOR

J. S. BRISTOW, BSc, FIM

© THE METALS SOCIETY

The Society as a whole is not responsible for statements made or opinions expressed in papers, critical assessments, discussions or book reviews.

Contents

The relationship between fracture toughness and microstructure in the cleavage fracture of mild steel. D. A. Curry and J. F. Knott 1

On a metastable miscibility gap in γ-Mn–Cu alloys and the origin of their high damping capacity. J. M. Vitek and H. Warlimont 7

The segregation of boron to grain boundaries in solution-treated Type 316 austenitic stainless steel. T. M. Williams, A. M. Stoneham, and D. R. Harries 14

The stress/creep rate behaviour of precipitation-hardened alloys. R. Lagneborg and B. Bergman . . 20

Creep-fracture initiation in 2¼%Cr–1%Mo steel. B. J. Cane 29

Electron-microscope studies of carbide decay during contact fatigue in ball bearings. H. Swahn, P. C. Becker, and O. Vingsbo 35

Liquid helium quenching experiments on impure aluminium. S. J. Sanderson 41

The creep cavitation of commercial and high-purity Cr–Mo–V steels. H. R. Tipler and B. E. Hopkins . 47

A two-dimensional model of creep cavitation failure in copper subject to biaxial stress systems at 250°C. D. A. Kelly 57

Observations of fibrous fracture modes in a prestrained low-alloy steel. J. Q. Clayton and J. F. Knott . 63

Martensite habit planes in Fe–Mn–C alloys. R. M. Wood and A. R. Entwisle 72

The mechanism of the peritectic reaction in iron-base alloys. H. Fredriksson 77

Surface oxides on Al, Cu, Sn, Pb, and some of their alloys: an ESCA study. T. Farrell 87

The stability of plastic flow in strain-rate sensitive materials. S. Sagat and D. M. R. Taplin . . . 94

Lamellar spacing measurements in the Pb–Cd eutectic system. J. N. Clark and R. Elliott 101

The effect of niobium carbide precipitation on the density changes and creep properties of Type 347 austenitic stainless steels. J. Wadsworth, S. R. Keown, and J. H. Woodhead 105

The structure and properties of warm-extruded mild steel. D. N. Hawkins 113

The stability of intermediate precipitates in an Al–Cu–In alloy. S. J. Sanderson 122

Ferrite morphologies and carbide precipitation in a Cr–Mo–V creep-resisting steel. G. L. Dunlop and R. W. K. Honeycombe 124

Stress redistribution during Nabarro–Herring and superplastic creep. W. Beeré 133

The microstructure and properties of some low-carbon 4% manganese steels containing niobium and vanadium. N. A. McPherson and T. N. Baker 140

Growth of fatigue cracks in steels. C. M. Branco, J. C. Radon, and L. E. Culver 149

Some observations on primary dendrite spacings. M. H. Burden and J. D. Hunt 156

Accumulated plastic zone around fatigue crack in Type 304 stainless steel. Y. Iino 159

Crack-tip blunting and crack-opening displacement under large-scale yielding. T. Shoji 165

A model for strain hardening during creep. W. J. Evans 170

Excess vacancy concentrations and the nucleation of niobium carbide precipitates in austenitic stainless steel. J. P. Shepherd 174

Apparent activation energies for high-temperature creep and self-diffusion in metals in relation to their bond energies. A. K. Vijh 180

Superplastic deformation and cavitation in a microduplex stainless steel. C. I. Smith, B. Norgate, and N. Ridley 182

Superplasticity in Al–Cu–Zr alloys—Part I: Material preparation and properties. B. M. Watts, M. J. Stowell, B. L. Baikie, and D. G. E. Owen 189

Superplasticity in Al–Cu–Zr alloys—Part II: Microstructural study. B. M. Watts, M. J. Stowell, B. L. Baikie, and D. G. E. Owen 198

A calorimetric and mass-spectrometric study of solid iron–chromium alloys. A. S. Normanton, R. H. Moore, and B. B. Argent 207

The mechanisms of ⟨111⟩ and ⟨100⟩ wire texture development in fcc Cu–Al alloys. W. Ratuszek and J. Karp 214

Thermodynamics of dilute solutions of the first-period transition elements in iron. D. Robinson and B. B. Argent 219

Critical assessment: **Anisotropic elastic theory of line defects.** J. P. Hirth 222

Contents

Hot cracking and micro-segregation in 18–10 stainless steel welds. H. Åström, B. Loberg, B. Bengtsson, and K. E. Easterling 225

Superplasticity in an Al–6 wt.-%Mg alloy. K. Matsuki, Y. Uetani, M. Yamada, and Y. Murakami . . 235

A calorimetric study of dilute solutions of nickel, silicon, and vanadium in iron. A. S. Normanton and B. B. Argent 243

On the decomposition of supersaturated Fe–Sb, Fe–Sn, and Fe–Sb–Ni solid solutions. M. Nageswararao, H. Herman, and C. J. McMahon, Jr. 249

Dynamic observations during tensile deformation of molybdenum in the high voltage electron microscope. R. G. Campany, M. H. Loretto, and R. E. Smallman 253

Dynamic observations in the HVEM of the influence of crystal orientation on the deformation and fracture behaviour of molybdenum single crystals. R. G. Campany, R. E. Smallman, and M. H. Loretto . 261

The effect of alloying on 485 °C embrittlement. M. Courtnall and F. B. Pickering 273

The mechanism of the formation of non-propagating fatigue cracks. J. Awatani, K. Katagiri, and T. Shiraishi 277

Some observations on the fracture characteristics of a Duralumin alloy. F. M. Boydon and G. Jolley . 282

The influence of temper embrittlement on fracture toughness. G. Berry and R. Brook 286

Diffusional-creep boundary condition in phase transformations. S. Nadiv and G. B. Barkay 291

Critical assessment: **The intermediate stage of sintering.** W. Beeré 294

A study of the solidification process in low-carbon manganese steels. T. Edvardsson, H. Fredriksson, and I. Svensson 298

The development of a universal equation for secondary creep rates in pure metals and engineering alloys. W. J. Evans and G. F. Harrison 307

Superplasticity in the Pb–Sn–Zn and Pb–Sn–Cd ternary eutectic alloys. M. D. C. Moles and G. J. Davies 314

Creep cavitation without a vacancy flux. J. W. Hancock 319

Surface and grain-boundary energies of AISI 316 stainless steel in the presence of boron. D. A. Mortimer and M. G. Nicholas 326

Short communication: **The friction-stress concept during high-temperature creep.** K. R. Williams . . 332

Discussion: **On slant (45°) crack growth in fatigue.** L. P. Pook 334

The link between equilibrium segregation and precipitation in ternary solutions exhibiting temper embrittlement. M. Guttmann 337

The influence of stoichiometry upon carbide precipitation. J. Wadsworth, J. H. Woodhead, and S. R. Keown 342

Constraints on diffusional cavity growth rates. B. F. Dyson 349

The prediction of K_{IC} using J and COD from small specimen tests. J. D. G. Sumpter 354

Determination of the creep transition stress in dispersion-hardened alloys by a stress-relaxation method. G. Knowles and H. E. Evans 357

The fracture-toughness testing of cemented carbides. G. Berry 361

Further observations on the shape of the S/N curve of a ferritic steel. R. G. Luther and T. R. G. Williams 367

Yielding behaviour of γ'-precipitation-strengthened Co–Ni–Cr superalloys. M. C. Chaturvedi, D. J. Lloyd, and D. W. Chung 373

Penetration of interstitial elements during surface treatment of transition metals, with particular reference to the carburization of iron. M. G. C. Cox, V. D. Scott, and P. C. Thornton 379

The relation between minimum creep rate and time to fracture. F. Dobeš and K. Milička 382

The reaction between copper and liquid zinc. O. B. Sørensen and E. Maahn 385

Habit plane and morphology of lath martensites. D. S. Sarma, J. A. Whiteman, and J. H. Woodhead . 391

Short-range order in some Pd–Ce alloys. J. Brooks, M. H. Loretto, and I. R. Harris 397

The strengthening effects of brittle zones on ductile-fibre composites. S. Ochiai and Y. Murakami . . 401

Short communication: **Calculation of M_s for iron–cobalt and iron–chromium alloys.** B. B. Argent . . 409

Instructions to Authors 411

The prediction of creep fracture from intergranular damage measurements in a copper alloy. R. G. Fleck, C. J. Beevers, and D. M. R. Taplin 413

The diffusion of chromium in a duplex alloy steel. A. F. Smith and R. Hales 418

The relationship between grain-boundary structure and the diffusivity of zinc along aluminium grain boundaries. Y. Ishida, T. Inoue, T. Yamamoto, and M. Mori 424

Contents

The relation between microstructure and yield strength in tempered low-carbon lath martensite with 5% nickel. L.-Å. Norström 429
Field-ion microscopy of internally oxidized copper alloys. D. J. Pedder, E. D. Boyes, and G. C. Smith 437
Some complicating factors in the correlation of diffusion and melting parameters. B. D. Bastow . . 442
The metastable T' phase in Al–Zn–Mg and Al–Ag–Mg alloys. J. H. Auld and S. McK. Cousland . . 445

© THE METALS SOCIETY 1976

Corrigenda: Vol. 10

On page 33, column 2, line 24 should read:

stress concentration is maximized. When $\theta \simeq 45°$ the two

On page 339, Figure 1 (*b*), the designation of the bottom curve should read:

1%Ni + 0·5Cr 3400

On page 341, References 18 and 20 should have been published as:

18. R. MULFORD *et al.: Metall. Trans.*, 1976, **7A**, 1269.
20. H. OHTANI *et al.: ibid.*, 1976, **7A**, 1123.